
1492-04A-9

NOTE: Information herein is believed by Southwest Microwave, Inc. to be accurate. However, Southwest Microwave assumes no responsibility for any omissions or errors or inaccuracies for its use or for any infringements of patents or other rights of third parties that may result from its use. Data is intended for informational purpose only and does not constitute a contract of sale or any express or implied warranty, including any warranty of merchant ability or fitness for a particular purpose.




HOUSING:	STEEL, CRES ALLOY UNS 30300 PER ASTM A582 PASSIVATED PER ASTM A967-99						
CONTACT:	BeCu UNS C17300 PER ASTM B196 GOLD PLATE PER ASTM B488						
CAPTURE BEAD:	ULTEM 1000 PER ASTM D5205						
DIELECTRIC:	KEL-F (PCTFE) PER ASTM D1430						
ITEM	MATERIAL & FINISH						
2.40mm CONNECTOR							

TRANSITION BLOCK							
ITEM	MATERIAL & FINISH						
TRANSITION BLOCK DIELECTRIC:	VIRGIN PTFE FLUOROCARBON PER ASTM D1710, TYPE 1 GRADE 1, CLASS B						
LAUNCH PIN:	BeCu UNS C17300 PER ASTM B196 GOLD PLATE PER MIL-DTL-45204						
TRANSITION BLOCK, GROUNDING PLATE, THREADED CLAMPING PLATE:	C360 BRASS ALLOY UNS C36000 PER ASTM B16. NICKEL PLATE PER AMS 2404B						

1. ALL DIMENSIONS ARE IN INCHES. ALL ANGLES ARE IN DEGREES. DIMENSIONS SHOWN IN BRACKETS [XXX] ARE IN MILLIMETERS.

NOTES: UNLESS OTHERWISE SPECIFIED.



REV A	RELEASE	APRVD. JW	DATE: 07/10/17	TITLE		•	192-04A-9		
90		Southwest Microwave, Inc. 9055 South McKemy Street Tempe, Arizona 85284-2946			2.40mm JACK (FEMALE) END LAUNCH CONNECTOR SUPER SMALL END LAUNCH				
_	SOUTHWEST	Telephone (480) 783-	0201	MGD	06/28/17	DWG. NO.		REV	/. _
I N	MICROWAVE	Fax (480) 783-0360		SHEET: 1	OF 1		79Y63707		Α